

L Number	Hits	Search Text	DB	Time stamp
2	200	varisoft\$ same "222"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 10:37
3	63156	cationic same (polymer or copolymer or polymers or copolymers or resin or resins or homopolymer or homopolymers)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 10:37
4	93	(varisoft\$ same "222") and (cationic same (polymer or copolymer or polymers or copolymers or resin or resins or homopolymer or homopolymers))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 10:20
6	7355	ammonium same oxalate	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 10:37
7	169975	urea	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 10:37
8	1478	(ammonium same oxalate) and urea	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 10:21
9	172	(cationic same (polymer or copolymer or polymers or copolymers or resin or resins or homopolymer or homopolymers)) and ((ammonium same oxalate) and urea)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 10:21
10	5	(varisoft\$ same "222") and ((cationic same (polymer or copolymer or polymers or copolymers or resin or resins or homopolymer or homopolymers)) and ((ammonium same oxalate) and urea))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 10:26
11	93	(cationic same (polymer or copolymer or polymers or copolymers or resin or resins or homopolymer or homopolymers)) and ((varisoft\$ same "222") and (cationic same (polymer or copolymer or polymers or copolymers or resin or resins or homopolymer or homopolymers)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 10:26
12	5	((ammonium same oxalate) and urea) and ((cationic same (polymer or copolymer or polymers or copolymers or resin or resins or homopolymer or homopolymers)) and ((varisoft\$ same "222") and (cationic same (polymer or copolymer or polymers or copolymers or resin or resins or homopolymer or homopolymers))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/12 10:36
13	5928	cationic same (polymer or copolymer or polymers or copolymers or resin or resins or homopolymer or homopolymers)	USOCR	2004/05/12 10:37
14	2552	ammonium same oxalate	USOCR	2004/05/12 10:37
15	28655	urea	USOCR	2004/05/12 10:37
16	1	varisoft\$ same "222"	USOCR	2004/05/12 10:38
17	21645	softener or softening same (agent or agents or compound or compounds)	USOCR	2004/05/12 10:38
18	90	(cationic same (polymer or copolymer or polymers or copolymers or resin or resins or homopolymer or homopolymers)) and (ammonium same oxalate)	USOCR	2004/05/12 10:39
19	37	urea and ((cationic same (polymer or copolymer or polymers or copolymers or resin or resins or homopolymer or homopolymers)) and (ammonium same oxalate))	USOCR	2004/05/12 10:39
20	10	(softener or softening same (agent or agents or compound or compounds)) and (urea and ((cationic same (polymer or copolymer or polymers or copolymers or resin or resins or homopolymer or homopolymers)) and (ammonium same oxalate)))	USOCR	2004/05/12 10:39

Desktop EAST - [10010466.wsp:1] File View Edit Tools Window Help

L9: (11117) ammonium adj (tartrate or oxalate) or ammonium same (tartrate or oxalate)  
L10: (2491) 2 and 9  
L11: (366) 3 and 10  
L12: (71) 4 and 11  
L13: (10) 8 and 12  
L14: (10558) fabric same (softener or softening or conditioner)  
L15: (11335) 2 and 3  
L17: (2491) 2 and 9  
L18: (366) 3 and 17  
L19: (71) 14 and 18  
L20: (10) 8 and 19  
L21: (2475) ammonium adj (tartrate or oxalate)  
L22: (510) 2 and 21  
L23: (46) 3 and 22  
L24: (4) 14 and 23  
L25: (2) 8 and 24  
L26: (1846) ammonium adj oxalate  
L27: (374) 2 and 26  
L28: (3264053) water or aqueous  
L29: (351) 27 and 28  
L30: (35) 29 and 252/57.ccls

USPAT US POPUL EPD JPO DERWENT  
Default operator: GR  
29 and 252/57.ccls.

	U	I	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Gas	Inventor	S	C	P	3	
1			US 20040038424 A1	20040226	31	Formaldehyde-ammonium salt complexes for the stabilization of bi	436/176	252/408.1; 422/61;		Maples, John A.					
2			US 20040028592 A1	20040212	12	Method for manufacturing highly-crystallized oxide powder	423/263	252/301.4R		Akimoto, Yuji et al.					
3			US 20030234184 A1	20031225	17	Method and composition for polishing a substrate	205/680	205/682; 205/685;		Liu, Feng Q. et al.					
4			US 20030089802 A1	20030515	14	Composition for resin-bonded magnet, and resin-bonded magnet	252/62.54			Yoshizawa, Shoichi et al.					
5			US 20030087525 A1	20030508	15	Slurry for use in polishing semiconductor device conductive s	438/691	252/79.1; 257/E21.304;		Sinha, Nishant et al.					
6			US 20020145127 A1	20021010	13	Chemical mechanical polishing slurry useful for copper substrates	252/79.1	257/E21.304		Kaufman, Vlasta Brusic et al.					
7			US 20020125461 A1	20020912	5	Ammonium oxalate-containing polishing system and method	252/79.1	252/79.5		Chou, Homer et al.					
8			US 20010006224 A1	20010705	10	Slurry for chemical mechanical polishing	252/79			Tsuchiya, Yasuaki et al.					
9			US 6641919 B1	20031104	8	Resin-bonded magnet	428/403	252/62.51R; 252/62.53;		Hayashi, Shinichi et al.					
10			US 6620037 B2	20030916	8	Chemical mechanical polishing slurry useful for copper substrates	451/559	106/3; 252/79.1;		Kaufman, Vlasta Brusic et al.					
11			US 6617170 B2	20030909	21	Method and device for collecting and stabilizing biological sample	436/176	252/408.1; 422/61;		Augello, Frank A. et al.					

Start Clock - 4/22/04 Inbox - M... eDAN Ver... EAST - [1... Applicatio... MPEP - C... PALM Re... 12:58 PM

Desktop EAST - (10010466.wsp:1) File View Edit Tools Window Help

L9: (11117) ammonium adj (tartrate or oxalate) or ammonium same (tartrate or oxalate)  
L10: (2491) 2 and 9  
L11: (366) 3 and 10  
L12: (71) 4 and 11  
L13: (10) 8 and 12  
L14: (10558) fabric same (softener or softening or conditioner)  
L15: (11335) 2 and 3  
L17: (2491) 2 and 9  
L18: (366) 3 and 17  
L19: (71) 14 and 18  
L20: (10) 8 and 19  
L21: (2475) ammonium adj (tartrate or oxalate)  
L22: (510) 2 and 21  
L23: (46) 3 and 22  
L24: (4) 14 and 23  
L25: (2) 8 and 24  
L26: (1846) ammonium adj oxalate  
L27: (374) 2 and 26  
L28: (3264053) water or aqueous  
L29: (351) 27 and 28  
L30: (45) 29 and 252/57.ccls

Failed  
Saved

USPAT US POPUL ETC JPD DERIVENT  
Default operator: JP  
29 and 252/57.ccls.

	U	T	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Qas	Inventor	S	C	P	3	A
12	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6602718 B1	20030805	11	Method and device for collecting and stabilizing a biological sample	436/176	252/408.1; 422/102;		Augello, Frank A. et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6582623 B1	20030624	8	CMP composition containing silane modified abrasive particles	252/79.1	252/79.2; 252/79.3;		Grumbine, Steven K. et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6569350 B2	20030527	14	Chemical mechanical polishing slurry useful for copper substrates	252/79.1	252/79.2; 252/79.3;		Kaufman, Vlasta Brusic et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6551935 B1	20030422	17	Slurry for use in polishing semiconductor device conductive s	438/693	216/306; 216/89;		Sinha, Nishant et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6435944 B1	20020820	6	CMP slurry for planarizing metals	451/41	106/3; 252/79.2;		Wang, Yuchun et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
17	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6432828 B1	20020813	8	Chemical mechanical polishing slurry useful for copper substrates	438/693	106/3; 216/89;		Kaufman, Vlasta Brusic et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
18	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6309560 B1	20011030	13	Chemical mechanical polishing slurry useful for copper substrates	252/79.1	252/79.4; 257/E21.304		Kaufman, Vlasta Brusic et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
19	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6126853 A	20001003	11	Chemical mechanical polishing slurry useful for copper substrates	252/79.1	252/79.4; 257/E21.304		Kaufman, Vlasta Brusic et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
20	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5954997 A	19990921	11	Chemical mechanical polishing slurry useful for copper substrates	252/79.1	252/79.2; 252/79.4;		Kaufman, Vlasta Brusic et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
21	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5932144 A	19990803	28	Soluble aniline conducting polymers	252/500	252/518.1; 528/210;		Shimizu, Shigeru et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
22	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5714092 A	19980203	8	Process for the production of hydrogen peroxide	252/373	252/372; 502/377		van Lool, Francine et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Ready Start Clock - 4/22/04 Inbox - M... eDAN Ver... EAST - (1... Application... SMPPEP - ... PALM Re... 12:59 PM

Desktop

EAST - [10010466.wsp:1]

File View Edit Tools Window Help

☐ L9: (11117) ammonium adj (tartrate or oxalate) or ammonium same (tartrate or oxalate)  
☐ L10: (2491) 2 and 9  
☐ L11: (366) 3 and 10  
☐ L12: (71) 4 and 11  
☐ L13: (10) 8 and 12  
☐ L14: (10558) fabric same (softener or softening or conditioner)  
☐ L15: (11335) 2 and 3  
☐ L17: (2491) 2 and 9  
☐ L18: (366) 3 and 17  
☐ L19: (71) 14 and 18  
☐ L20: (10) 8 and 19  
☐ L21: (2475) ammonium adj (tartrate or oxalate)  
☐ L22: (510) 2 and 21  
☐ L23: (46) 3 and 22  
☐ L24: (4) 14 and 23  
☐ L25: (2) 8 and 24  
☐ L26: (1846) ammonium adj oxalate  
☐ L27: (374) 2 and 26  
☐ L28: (3264053) water or aqueous  
☐ L29: (351) 27 and 28  
☐ L30: (45) 29 and 252/57.ccls

☐ Failed  
☐ Saved

Show Clear  
 DB: L30AT US POPUL EFF, JPL, DEMENT  
 Direct operator: On  
☐ Export  
☐ Highlighted becomes bold

29 and 252/57.ccls.

	U	T	Document ID	Issue Date	Pages	Title	Current Or	Current XRef	Retrieval Class	Inventor	S	C	P	3
23	<input type="checkbox"/>	<input type="checkbox"/>	US 5700399 A	19971223	27	Soluble alkoxy-group substituted aminobenzenesulfonic acid aniline	252/500	174/68.1; 427/372.2;		Shimizu, Shigeru et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24	<input type="checkbox"/>	<input type="checkbox"/>	US 5589108 A	19961231	27	Soluble alkoxy-group substituted aminobenzenesulfonic acid aniline	252/500	520/210; 520/214		Shimizu, Shigeru et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
25	<input type="checkbox"/>	<input type="checkbox"/>	US 5526224 A	19960611	14	Ion-conductive polymer electrolyte and electrolytic capacitor using the	361/523	252/62.2; 361/524;		Kanbara, Teruhisa et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
26	<input type="checkbox"/>	<input type="checkbox"/>	US 5244539 A	19930914	9	Composition and method for stripping films from printed circuit b	216/113	134/2; 134/3;		McGrath, Peter T. et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
27	<input type="checkbox"/>	<input type="checkbox"/>	US 5096642 A	19920317	6	Process for producing a high density ceramic of perovskite	264/661	252/62.9R; 501/102;		Shirasaki, Shin-ichi	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
28	<input type="checkbox"/>	<input type="checkbox"/>	US 5002690 A	19910326	10	Production of stable liquid organic-powdered inorganic emulsi	252/182.14	252/182.15; 252/182.17;		Blount, David H.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
29	<input type="checkbox"/>	<input type="checkbox"/>	US 4839089 A	19890613	5	Substance for converting waste cooking oil into liquid soap	252/183.11	252/182.12; 252/182.32;		Shimizu, Kazuo	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30	<input type="checkbox"/>	<input type="checkbox"/>	US 4764357 A	19880816	4	Process for producing finely dMded powdery metal oxide compo	505/440	252/182.12; 420/901;		Sherif, Fawzy G. et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
31	<input type="checkbox"/>	<input type="checkbox"/>	US 4643984 A	19870217	24	Process for producing a composition which includes perovs	501/134	252/62.9P.2; 423/594.9;		Abe, Kazunobu et al.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
32	<input type="checkbox"/>	<input type="checkbox"/>	US 4105572 A	19780808	18	Ferromagnetic toner containing water-soluble or water-solubilizabl	430/106.2	106/116; 252/301.21;		Gorondy, Emery J.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
33	<input type="checkbox"/>	<input type="checkbox"/>	US 3992296 A	19760113	6	Corrosion inhibitor	507/240	134/3; 15/111;		Byth, Nancy J.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

File Contents 100%

Ready

Start Clock - 4/22/ [Inbox - M] [eDAN Ver] [EAST - [ Application] [MPEP - [ [PALM Re] 12:58 PM

Desktop EAST - [10010466.wsp:1] File View Edit Tools Window Help

DBs: 1/SPAT-US-REFUG-EPG-JPG-GERMENT  
Default operator: QN  
29 and 252/57.ccls.

Failed  
Saved

	U	I	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Class	Inventor	S	C	P					
26	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	US 5244539 A	19930914	9	Composition and method for stripping films from printed circuit b	216/13	134/2; 134/3;		McGrath, Peter T. et al.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
27	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	US 5096642 A	19920317	6	Process for producing a high density ceramic of perovskite	264/661	252/62.9R; 501/102;		Shirasaki, Shin-ichi	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
28	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	US 5002690 A	19910326	10	Production of stable liquid organic-powdered inorganic emulsi	252/182.14	252/182.15; 252/182.17;		Blount, David H.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
29	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	US 4839089 A	19890613	5	Substance for converting waste cooking oil into liquid soap	252/183.11	252/182.12; 252/182.32;		Shimizu, Kazuo	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
30	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	US 4764357 A	19880816	4	Process for producing finely divided powdery metal oxide compo	505/440	252/182.12; 420/901;		Sherif, Fawzy G. et al.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
31	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	US 4643984 A	19870217	24	Process for producing a composition which includes perovs	501/134	252/62.9PZ; 423/594.9;		Abe, Kazunobu et al.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
32	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	US 4105572 A	19780808	18	Ferromagnetic toner containing water-soluble or water-solubilizabl	430/106.2	106/16; 252/301.21;		Gorondy, Emery J.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
33	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	US 3932296 A	19760113	6	Corrosion inhibitor	507/240	134/1; 134/11;		Bylth, Nancy J.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
34	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	US 3896043 A	19750722	9	Non-cyanide alkaline composition for dissolving non-ferrous metals	252/186.43	134/2; 216/100;		Fadgen, Jr., Earl J.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
35	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	US 3719604 A	19730306	3	PRESSURIZING GAS-PRODUCING CHARGES CONTAINING AN AMINO	252/186.33	149/19.8; 149/40;		Prior, Josef et al.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Ready Start Clock - 4/22/ Inbox - M6 eDAN Ver EAST - [1 Applicatio MPEP - 2 PALM Re 12:58 PM